

This is an amended version of report# 071899-00
Reason: Updated report formatting.



Customer: Cura Wellness
3931 NE Columbia Blvd
Portland Oregon 97211
United States

Product identity: Select DISP - Cinnamon Primary
Laboratory ID: 19-005454-0015

Client/Metric ID: LHDO-489
Sample Date: 05/17/19 10:20

Summary

Potency:

| Analyte | Result | Limits | Units | LOQ | |
|---------------------------------|---------------|---------------|--------------|------------|--|
| CBD | 52.6 | | % | 0.0958 | CBD-Total (%) 52.6 % |
| Analyte per \$\$\$ ' a ` | Result | Limits | Units | LOQ | CBD-Total per serving 1.74 mg/0.0033ml |
| CBD per 1ml | 1.74 | | mg/0.0033ml | 0.0033 | CBD-Total per container 263 mg/0.5ml |
| Analyte per \$) a ` | Result | Limits | Units | LOQ | THC Total (%) < LOQ |
| CBD per 0.5ml | 263 | | mg/0.5ml | 0.487 | |

Residual Solvents:

All analytes passing and less than LOQ.

Pesticides:

All analytes passing and less than LOQ.



Customer: Cura Wellness
3931 NE Columbia Blvd
Portland Oregon 97211
United States

Product identity: Select DISP - Cinnamon Primary

Client/Metric ID: LHDO-489

Sample Date: 05/17/19 10:20

Laboratory ID: 19-005454-0015

Temp: 21.8 °C

Relinquished by: Brian Ramos

Weight Received: 8.08 g

Serving Size #1: 0.003 g

Sample Results

| Potency | | Batch: 1904509 | | | | | |
|-------------|--------|----------------|-------|--------|----------|-------------------|-------|
| Analyte | Result | Limits | Units | LOQ | Analyze | Method | Notes |
| CBC† | < LOQ | | % | 0.0960 | 05/22/19 | J AOAC 2015 V98-6 | |
| CBC-A† | < LOQ | | % | 0.0960 | 05/22/19 | J AOAC 2015 V98-6 | |
| CBC-Total† | < LOQ | | % | 0.188 | 05/24/19 | J AOAC 2015 V98-6 | |
| CBD | 52.6 | | % | 0.960 | 05/21/19 | J AOAC 2015 V98-6 | |
| CBD-A | < LOQ | | % | 0.0960 | 05/22/19 | J AOAC 2015 V98-6 | |
| CBD-Total | 52.6 | | % | 0.188 | 05/24/19 | J AOAC 2015 V98-6 | |
| CBDV† | < LOQ | | % | 0.0960 | 05/22/19 | J AOAC 2015 V98-6 | |
| CBDV-A† | < LOQ | | % | 0.0960 | 05/22/19 | J AOAC 2015 V98-6 | |
| CBDV-Total† | < LOQ | | % | 0.187 | 05/24/19 | J AOAC 2015 V98-6 | |
| CBG† | < LOQ | | % | 0.0960 | 05/22/19 | J AOAC 2015 V98-6 | |
| CBG-A† | < LOQ | | % | 0.0960 | 05/22/19 | J AOAC 2015 V98-6 | |
| CBG-Total† | < LOQ | | % | 0.188 | 05/24/19 | J AOAC 2015 V98-6 | |
| CBL† | < LOQ | | % | 0.0960 | 05/22/19 | J AOAC 2015 V98-6 | |
| CBN | < LOQ | | % | 0.0960 | 05/22/19 | J AOAC 2015 V98-6 | |
| Δ8-THC† | < LOQ | | % | 0.0960 | 05/22/19 | J AOAC 2015 V98-6 | |
| Δ9-THC | < LOQ | | % | 0.0960 | 05/22/19 | J AOAC 2015 V98-6 | |
| THC-A | < LOQ | | % | 0.0960 | 05/22/19 | J AOAC 2015 V98-6 | |
| THC-Total | < LOQ | | % | 0.187 | 05/24/19 | J AOAC 2015 V98-6 | |
| THCV† | < LOQ | | % | 0.0960 | 05/22/19 | J AOAC 2015 V98-6 | |
| THCV-A† | < LOQ | | % | 0.0960 | 05/22/19 | J AOAC 2015 V98-6 | |
| THCV-Total† | < LOQ | | % | 0.187 | 05/24/19 | J AOAC 2015 V98-6 | |

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be kept a maximum of 15 days from the report date unless prior arrangements have been made.



| Solvents | | | | | Method SOPC503 | | | | | Units µg/g | | Batch 1904553 | | Analyze 05/23/19 01:07 PM | | | |
|--------------------|--------|--------|------|--------|----------------|-------------------------|--------|--------|------|------------|-------|---------------|--|---------------------------|--|--|--|
| Analyte | Result | Limits | LOQ | Status | Notes | Analyte | Result | Limits | LOQ | Status | Notes | | | | | | |
| 1,4-Dioxane | < LOQ | 380 | 100 | pass | | 2-Butanol | < LOQ | 5000 | 200 | pass | | | | | | | |
| 2-Ethoxyethanol | < LOQ | 160 | 30.0 | pass | | 2-Methylbutane | < LOQ | | | | | | | | | | |
| 2-Methylpentane | < LOQ | | 30.0 | | | 2-Propanol (IPA) | < LOQ | 5000 | 200 | pass | | | | | | | |
| 2,2-Dimethylbutane | < LOQ | | 30.0 | | | 2,2-Dimethylpropane | < LOQ | | | | | | | | | | |
| 2,3-Dimethylbutane | < LOQ | | 30.0 | | | 3-Methylpentane | < LOQ | | | | | | | | | | |
| Acetone | < LOQ | 5000 | 200 | pass | | Acetonitrile | < LOQ | 410 | 100 | pass | | | | | | | |
| Benzene | < LOQ | 2.00 | 1.00 | pass | | Butanes (sum) | < LOQ | 5000 | 400 | pass | | | | | | | |
| Cyclohexane | < LOQ | 3880 | 200 | pass | | Ethyl acetate | < LOQ | 5000 | 200 | pass | | | | | | | |
| Ethyl benzene | < LOQ | | 200 | | | Ethyl ether | < LOQ | 5000 | 200 | pass | | | | | | | |
| Ethylene glycol | < LOQ | 620 | 200 | pass | | Ethylene oxide | < LOQ | 50.0 | 30.0 | pass | | | | | | | |
| Hexanes (sum) | < LOQ | 290 | 150 | pass | | Isopropyl acetate | < LOQ | 5000 | 200 | pass | | | | | | | |
| Isopropylbenzene | < LOQ | 70.0 | 30.0 | pass | | m,p-Xylene | < LOQ | | | | | | | | | | |
| Methanol | < LOQ | 3000 | 200 | pass | | Methylene chloride | < LOQ | 600 | 200 | pass | | | | | | | |
| Methylpropane | < LOQ | | 200 | | | n-Butane | < LOQ | | | | | | | | | | |
| n-Heptane | < LOQ | 5000 | 200 | pass | | n-Hexane | < LOQ | | | | | | | | | | |
| n-Pentane | < LOQ | | 200 | | | o-Xylene | < LOQ | | | | | | | | | | |
| Pentanes (sum) | < LOQ | 5000 | 600 | pass | | Propane | < LOQ | 5000 | 200 | pass | | | | | | | |
| Tetrahydrofuran | < LOQ | 720 | 100 | pass | | Toluene | < LOQ | 890 | 100 | pass | | | | | | | |
| Total Xylenes | < LOQ | | 400 | | | Total Xylenes and Ethyl | < LOQ | 2170 | 600 | pass | | | | | | | |



| Pesticides | | | | | | | | | | | |
|--|--------|--------|-------|--------|-------|---------------------|--------|--------|-------|--------|-------|
| Method AOAC 2007.01 & EN 15662 (mod) Units mg/kg Batch 1904504 Analyze 05/22/19 11:33 AM | | | | | | | | | | | |
| Analyte | Result | Limits | LOQ | Status | Notes | Analyte | Result | Limits | LOQ | Status | Notes |
| Abamectin | < LOQ | 0.50 | 0.250 | pass | | Acephate | < LOQ | 0.40 | 0.250 | pass | |
| Acequinocyl | < LOQ | 2.0 | 1.00 | pass | | Acetamiprid | < LOQ | 0.20 | 0.100 | pass | |
| Aldicarb | < LOQ | 0.40 | 0.200 | pass | | Azoxystrobin | < LOQ | 0.20 | 0.100 | pass | |
| Bifenazate | < LOQ | 0.20 | 0.100 | pass | | Bifenthrin | < LOQ | 0.20 | 0.100 | pass | |
| Boscalid | < LOQ | 0.40 | 0.100 | pass | | Carbaryl | < LOQ | 0.20 | 0.100 | pass | |
| Carbofuran | < LOQ | 0.20 | 0.100 | pass | | Chlorantraniliprole | < LOQ | 0.20 | 0.100 | pass | |
| Chlorfenapyr | < LOQ | 1.0 | 0.500 | pass | | Chlorpyrifos | < LOQ | 0.20 | 0.100 | pass | |
| Clofentezine | < LOQ | 0.20 | 0.100 | pass | | Cyfluthrin (incl. | < LOQ | 1.0 | 0.500 | pass | |
| Cypermethrin | < LOQ | 1.0 | 0.500 | pass | | Daminozide | < LOQ | 1.0 | 0.500 | pass | |
| Diazinon | < LOQ | 0.20 | 0.100 | pass | | Dichlorvos | < LOQ | 1.0 | 0.500 | pass | |
| Dimethoate | < LOQ | 0.20 | 0.100 | pass | | Ethoprophos | < LOQ | 0.20 | 0.100 | pass | |
| Etofenprox | < LOQ | 0.40 | 0.200 | pass | | Etoxazole | < LOQ | 0.20 | 0.100 | pass | |
| Fenoxycarb | < LOQ | 0.20 | 0.100 | pass | | Fenpyroximate | < LOQ | 0.40 | 0.200 | pass | |
| Fipronil | < LOQ | 0.40 | 0.200 | pass | | Fonicamid | < LOQ | 1.0 | 0.400 | pass | |
| Fludioxonil | < LOQ | 0.40 | 0.200 | pass | | Hexythiazox | < LOQ | 1.0 | 0.400 | pass | |
| Imazalil | < LOQ | 0.20 | 0.100 | pass | | Imidacloprid | < LOQ | 0.40 | 0.200 | pass | |
| Kresoxim-methyl | < LOQ | 0.40 | 0.200 | pass | | Malathion | < LOQ | 0.20 | 0.100 | pass | |
| Metalaxyl | < LOQ | 0.20 | 0.100 | pass | | Methiocarb | < LOQ | 0.20 | 0.100 | pass | |
| Methomyl | < LOQ | 0.40 | 0.200 | pass | | MGK-264 | < LOQ | 0.20 | 0.100 | pass | |
| Myclobutanil | < LOQ | 0.20 | 0.100 | pass | | Naled | < LOQ | 0.50 | 0.250 | pass | |
| Oxamyl | < LOQ | 1.0 | 0.500 | pass | | Paclobutrazole | < LOQ | 0.40 | 0.200 | pass | |
| Parathion-Methyl | < LOQ | 0.20 | 0.200 | pass | | Permethrin | < LOQ | 0.20 | 0.100 | pass | |
| Phosmet | < LOQ | 0.20 | 0.100 | pass | | Piperonyl butoxide | < LOQ | 2.0 | 1.00 | pass | |
| Prallethrin | < LOQ | 0.20 | 0.100 | pass | | Propiconazole | < LOQ | 0.40 | 0.200 | pass | |
| Propoxur | < LOQ | 0.20 | 0.100 | pass | | Pyrethrin I (total) | < LOQ | 1.0 | 0.500 | pass | |
| Pyridaben | < LOQ | 0.20 | 0.100 | pass | | Spinosad | < LOQ | 0.20 | 0.100 | pass | |
| Spiromesifen | < LOQ | 0.20 | 0.100 | pass | | Spirotetramat | < LOQ | 0.20 | 0.100 | pass | |
| Spiroxamine | < LOQ | 0.40 | 0.200 | pass | | Tebuconazole | < LOQ | 0.40 | 0.200 | pass | |
| Thiacloprid | < LOQ | 0.20 | 0.100 | pass | | Thiamethoxam | < LOQ | 0.20 | 0.100 | pass | |
| Trifloxystrobin | < LOQ | 0.20 | 0.100 | pass | | | | | | | |



Customer: Cura Wellness
3931 NE Columbia Blvd
Portland Oregon 97211
United States

Product identity: Select DISP - Cinnamon Dup
Laboratory ID: 19-005454-0016

Client/Metric ID: LHDO-489
Sample Date: 05/17/19 10:20

Summary

Potency:

| Analyte | Result | Limits | Units | LOQ | |
|----------------------------------|---------------|---------------|--------------|------------|--|
| CBD | 52.6 | | % | 0.0958 | CBD-Total (%) 52.6 % |
| Analyte per \$\$\$' ' a ` | Result | Limits | Units | LOQ | CBD-Total per serving 1.74 mg/0.0033ml |
| CBD per 1ml | 1.74 | | mg/0.0033ml | 0.0033 | CBD-Total per container 263 mg/0.5ml |
| Analyte per \$) a ` | Result | Limits | Units | LOQ | THC Total (%) < LOQ |
| CBD per 0.5ml | 263 | | mg/0.5ml | 0.487 | |

Serving size: 0.0033ml
Servings per container: 150

Residual Solvents:

All analytes passing and less than LOQ.

Pesticides:

All analytes passing and less than LOQ.



Customer: Cura Wellness
3931 NE Columbia Blvd
Portland Oregon 97211
United States

Product identity: Select DISP - Cinnamon Dup

Client/Metric ID: LHDO-489

Sample Date: 05/17/19 10:20

Laboratory ID: 19-005454-0016

Temp: 21.8 °C

Relinquished by: Brian Ramos

Weight Received: 8.08 g

Serving Size #1: 0.003 g

Sample Results

| Potency | | Batch: 1904509 | | | | | |
|-------------|--------|----------------|-------|--------|----------|-------------------|-------|
| Analyte | Result | Limits | Units | LOQ | Analyze | Method | Notes |
| CBC† | < LOQ | | % | 0.0954 | 05/22/19 | J AOAC 2015 V98-6 | |
| CBC-A† | < LOQ | | % | 0.0954 | 05/22/19 | J AOAC 2015 V98-6 | |
| CBC-Total† | < LOQ | | % | 0.188 | 05/24/19 | J AOAC 2015 V98-6 | |
| CBD | 52.6 | | % | 0.954 | 05/22/19 | J AOAC 2015 V98-6 | |
| CBD-A | < LOQ | | % | 0.0954 | 05/22/19 | J AOAC 2015 V98-6 | |
| CBD-Total | 52.6 | | % | 0.188 | 05/24/19 | J AOAC 2015 V98-6 | |
| CBDV† | < LOQ | | % | 0.0954 | 05/22/19 | J AOAC 2015 V98-6 | |
| CBDV-A† | < LOQ | | % | 0.0954 | 05/22/19 | J AOAC 2015 V98-6 | |
| CBDV-Total† | < LOQ | | % | 0.187 | 05/24/19 | J AOAC 2015 V98-6 | |
| CBG† | < LOQ | | % | 0.0954 | 05/22/19 | J AOAC 2015 V98-6 | |
| CBG-A† | < LOQ | | % | 0.0954 | 05/22/19 | J AOAC 2015 V98-6 | |
| CBG-Total† | < LOQ | | % | 0.188 | 05/24/19 | J AOAC 2015 V98-6 | |
| CBL† | < LOQ | | % | 0.0954 | 05/22/19 | J AOAC 2015 V98-6 | |
| CBN | < LOQ | | % | 0.0954 | 05/22/19 | J AOAC 2015 V98-6 | |
| Δ8-THC† | < LOQ | | % | 0.0954 | 05/22/19 | J AOAC 2015 V98-6 | |
| Δ9-THC | < LOQ | | % | 0.0954 | 05/22/19 | J AOAC 2015 V98-6 | |
| THC-A | < LOQ | | % | 0.0954 | 05/22/19 | J AOAC 2015 V98-6 | |
| THC-Total | < LOQ | | % | 0.187 | 05/24/19 | J AOAC 2015 V98-6 | |
| THCV† | < LOQ | | % | 0.0954 | 05/22/19 | J AOAC 2015 V98-6 | |
| THCV-A† | < LOQ | | % | 0.0954 | 05/22/19 | J AOAC 2015 V98-6 | |
| THCV-Total† | < LOQ | | % | 0.187 | 05/24/19 | J AOAC 2015 V98-6 | |

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be kept a maximum of 15 days from the report date unless prior arrangements have been made.



| Solvents | | | | | Method SOPC503 | | | | | Units µg/g | Batch 1904553 | Analyze 05/23/19 01:07 PM |
|--------------------|--------|--------|------|--------|----------------|-------------------------|--------|--------|------|------------|---------------|---------------------------|
| Analyte | Result | Limits | LOQ | Status | Notes | Analyte | Result | Limits | LOQ | Status | Notes | |
| 1,4-Dioxane | < LOQ | 380 | 100 | pass | | 2-Butanol | < LOQ | 5000 | 200 | pass | | |
| 2-Ethoxyethanol | < LOQ | 160 | 30.0 | pass | | 2-Methylbutane | < LOQ | | 200 | | | |
| 2-Methylpentane | < LOQ | | 30.0 | | | 2-Propanol (IPA) | < LOQ | 5000 | 200 | pass | | |
| 2,2-Dimethylbutane | < LOQ | | 30.0 | | | 2,2-Dimethylpropane | < LOQ | | 200 | | | |
| 2,3-Dimethylbutane | < LOQ | | 30.0 | | | 3-Methylpentane | < LOQ | | 30.0 | | | |
| Acetone | < LOQ | 5000 | 200 | pass | | Acetonitrile | < LOQ | 410 | 100 | pass | | |
| Benzene | < LOQ | 2.00 | 1.00 | pass | | Butanes (sum) | < LOQ | 5000 | 400 | pass | | |
| Cyclohexane | < LOQ | 3880 | 200 | pass | | Ethyl acetate | < LOQ | 5000 | 200 | pass | | |
| Ethyl benzene | < LOQ | | 200 | | | Ethyl ether | < LOQ | 5000 | 200 | pass | | |
| Ethylene glycol | < LOQ | 620 | 200 | pass | | Ethylene oxide | < LOQ | 50.0 | 30.0 | pass | | |
| Hexanes (sum) | < LOQ | 290 | 150 | pass | | Isopropyl acetate | < LOQ | 5000 | 200 | pass | | |
| Isopropylbenzene | < LOQ | 70.0 | 30.0 | pass | | m,p-Xylene | < LOQ | | 200 | | | |
| Methanol | < LOQ | 3000 | 200 | pass | | Methylene chloride | < LOQ | 600 | 200 | pass | | |
| Methylpropane | < LOQ | | 200 | | | n-Butane | < LOQ | | 200 | | | |
| n-Heptane | < LOQ | 5000 | 200 | pass | | n-Hexane | < LOQ | | 30.0 | | | |
| n-Pentane | < LOQ | | 200 | | | o-Xylene | < LOQ | | 200 | | | |
| Pentanes (sum) | < LOQ | 5000 | 600 | pass | | Propane | < LOQ | 5000 | 200 | pass | | |
| Tetrahydrofuran | < LOQ | 720 | 100 | pass | | Toluene | < LOQ | 890 | 100 | pass | | |
| Total Xylenes | < LOQ | | 400 | | | Total Xylenes and Ethyl | < LOQ | 2170 | 600 | pass | | |



| Pesticides | | | | | | | | | | | |
|--|--------|--------|-------|--------|-------|---------------------|--------|--------|-------|--------|-------|
| Method AOAC 2007.01 & EN 15662 (mod) Units mg/kg Batch 1904504 Analyze 05/22/19 11:33 AM | | | | | | | | | | | |
| Analyte | Result | Limits | LOQ | Status | Notes | Analyte | Result | Limits | LOQ | Status | Notes |
| Abamectin | < LOQ | 0.50 | 0.250 | pass | | Acephate | < LOQ | 0.40 | 0.250 | pass | |
| Acequinocyl | < LOQ | 2.0 | 1.00 | pass | | Acetamiprid | < LOQ | 0.20 | 0.100 | pass | |
| Aldicarb | < LOQ | 0.40 | 0.200 | pass | | Azoxystrobin | < LOQ | 0.20 | 0.100 | pass | |
| Bifenazate | < LOQ | 0.20 | 0.100 | pass | | Bifenthrin | < LOQ | 0.20 | 0.100 | pass | |
| Boscalid | < LOQ | 0.40 | 0.100 | pass | | Carbaryl | < LOQ | 0.20 | 0.100 | pass | |
| Carbofuran | < LOQ | 0.20 | 0.100 | pass | | Chlorantraniliprole | < LOQ | 0.20 | 0.100 | pass | |
| Chlorfenapyr | < LOQ | 1.0 | 0.500 | pass | | Chlorpyrifos | < LOQ | 0.20 | 0.100 | pass | |
| Clofentezine | < LOQ | 0.20 | 0.100 | pass | | Cyfluthrin (incl. | < LOQ | 1.0 | 0.500 | pass | |
| Cypermethrin | < LOQ | 1.0 | 0.500 | pass | | Daminozide | < LOQ | 1.0 | 0.500 | pass | |
| Diazinon | < LOQ | 0.20 | 0.100 | pass | | Dichlorvos | < LOQ | 1.0 | 0.500 | pass | |
| Dimethoate | < LOQ | 0.20 | 0.100 | pass | | Ethoprophos | < LOQ | 0.20 | 0.100 | pass | |
| Etofenprox | < LOQ | 0.40 | 0.200 | pass | | Etoxazole | < LOQ | 0.20 | 0.100 | pass | |
| Fenoxycarb | < LOQ | 0.20 | 0.100 | pass | | Fenpyroximate | < LOQ | 0.40 | 0.200 | pass | |
| Fipronil | < LOQ | 0.40 | 0.200 | pass | | Fonicamid | < LOQ | 1.0 | 0.400 | pass | |
| Fludioxonil | < LOQ | 0.40 | 0.200 | pass | | Hexythiazox | < LOQ | 1.0 | 0.400 | pass | |
| Imazalil | < LOQ | 0.20 | 0.100 | pass | | Imidacloprid | < LOQ | 0.40 | 0.200 | pass | |
| Kresoxim-methyl | < LOQ | 0.40 | 0.200 | pass | | Malathion | < LOQ | 0.20 | 0.100 | pass | |
| Metalaxyl | < LOQ | 0.20 | 0.100 | pass | | Methiocarb | < LOQ | 0.20 | 0.100 | pass | |
| Methomyl | < LOQ | 0.40 | 0.200 | pass | | MGK-264 | < LOQ | 0.20 | 0.100 | pass | |
| Myclobutanil | < LOQ | 0.20 | 0.100 | pass | | Naled | < LOQ | 0.50 | 0.250 | pass | |
| Oxamyl | < LOQ | 1.0 | 0.500 | pass | | Paclobutrazole | < LOQ | 0.40 | 0.200 | pass | |
| Parathion-Methyl | < LOQ | 0.20 | 0.200 | pass | | Permethrin | < LOQ | 0.20 | 0.100 | pass | |
| Phosmet | < LOQ | 0.20 | 0.100 | pass | | Piperonyl butoxide | < LOQ | 2.0 | 1.00 | pass | |
| Prallethrin | < LOQ | 0.20 | 0.100 | pass | | Propiconazole | < LOQ | 0.40 | 0.200 | pass | |
| Propoxur | < LOQ | 0.20 | 0.100 | pass | | Pyrethrin I (total) | < LOQ | 1.0 | 0.500 | pass | |
| Pyridaben | < LOQ | 0.20 | 0.100 | pass | | Spinosad | < LOQ | 0.20 | 0.100 | pass | |
| Spiromesifen | < LOQ | 0.20 | 0.100 | pass | | Spirotetramat | < LOQ | 0.20 | 0.100 | pass | |
| Spiroxamine | < LOQ | 0.40 | 0.200 | pass | | Tebuconazole | < LOQ | 0.40 | 0.200 | pass | |
| Thiacloprid | < LOQ | 0.20 | 0.100 | pass | | Thiamethoxam | < LOQ | 0.20 | 0.100 | pass | |
| Trifloxystrobin | < LOQ | 0.20 | 0.100 | pass | | | | | | | |

This sample was selected and submitted by the client. Test results are representative of the individual sample.



Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

† = Analyte not NELAP accredited.

Units of Measure

g = Gram

µg/g = Microgram per gram

mg/kg = Milligram per kilogram = parts per million (ppm)

mg/0g = Milligram per 0g

% = Percentage of sample

% wt = µg/g divided by 10,000

Approved Signatory

Derrick Tanner
General Manager