



**Product identity:** Social 375mg Drops Unflavored HDTO-1306  
**Laboratory ID:** 19-011167-0001

**Client/Metric ID:** .  
**Sample Date:** 09/12/19 13:00

**Summary**

**Potency:**

| Analyte          | Result  | Limits | Units   |                                |
|------------------|---------|--------|---------|--------------------------------|
| CBD              | 1.39    |        | %       | CBD-Total (%) 1.39 %           |
| CBDV†            | 0.00470 |        | %       | CBD-Total per 1ml 15.2 mg/1ml  |
| CBG†             | 0.00469 |        | %       | CBD-Total per 30ml 455 mg/30ml |
| Analyte per 1ml  | Result  | Limits | Units   |                                |
| CBD per 1ml      | 15.2    |        | mg/1ml  | THC-Total (%) < LOQ            |
| CBDV per 1ml†    | 0.0512  |        | mg/1ml  |                                |
| CBG per 1ml†     | 0.0511  |        | mg/1ml  |                                |
| Analyte per 30ml | Result  | Limits | Units   |                                |
| CBD per 30ml     | 455     |        | mg/30ml |                                |
| CBDV per 30ml†   | 1.54    |        | mg/30ml |                                |
| CBG per 30ml†    | 1.53    |        | mg/30ml |                                |

Serving size: 1ml  
Servings per container: 30

**Residual Solvents:**

All analytes passing and less than LOQ.

**Pesticides:**

All analytes passing and less than LOQ.



**Customer:** Sentia Wellness  
3931 NE Columbia Blvd  
Portland Oregon 97211  
United States

**Product identity:** Social 375mg Drops Unflavored HDTO-1306

**Client/Metric ID:** .

**Sample Date:** 09/12/19 13:00

**Laboratory ID:** 19-011167-0001

**Relinquished by:** Sentia Wellness

**Temp:** 24.3 °C

**Serving Size #1:** 1.09 g

**Serving Size #2:** 32.7 g

**Sample Results**

| Potency     |         | Batch: 1908402 |       |        |          |                   |       |
|-------------|---------|----------------|-------|--------|----------|-------------------|-------|
| Analyte     | Result  | Limits         | Units | LOQ    | Analyze  | Method            | Notes |
| CBC†        | < LOQ   |                | %     | 0.0033 | 09/18/19 | J AOAC 2015 V98-6 |       |
| CBC-A†      | < LOQ   |                | %     | 0.0033 | 09/18/19 | J AOAC 2015 V98-6 |       |
| CBC-Total†  | < LOQ   |                | %     | 0.0062 | 09/23/19 | J AOAC 2015 V98-6 |       |
| CBD         | 1.39    |                | %     | 0.0328 | 09/18/19 | J AOAC 2015 V98-6 |       |
| CBD-A       | < LOQ   |                | %     | 0.0033 | 09/18/19 | J AOAC 2015 V98-6 |       |
| CBD-Total   | 1.39    |                | %     | 0.0357 | 09/23/19 | J AOAC 2015 V98-6 |       |
| CBDV†       | 0.00470 |                | %     | 0.0033 | 09/18/19 | J AOAC 2015 V98-6 |       |
| CBDV-A†     | < LOQ   |                | %     | 0.0033 | 09/18/19 | J AOAC 2015 V98-6 |       |
| CBDV-Total† | < LOQ   |                | %     | 0.0061 | 09/23/19 | J AOAC 2015 V98-6 |       |
| CBG†        | 0.00469 |                | %     | 0.0033 | 09/18/19 | J AOAC 2015 V98-6 |       |
| CBG-A†      | < LOQ   |                | %     | 0.0033 | 09/18/19 | J AOAC 2015 V98-6 |       |
| CBG-Total†  | < LOQ   |                | %     | 0.0061 | 09/23/19 | J AOAC 2015 V98-6 |       |
| CBL†        | < LOQ   |                | %     | 0.0033 | 09/18/19 | J AOAC 2015 V98-6 |       |
| CBN         | < LOQ   |                | %     | 0.0033 | 09/18/19 | J AOAC 2015 V98-6 |       |
| Δ8-THC†     | < LOQ   |                | %     | 0.0033 | 09/18/19 | J AOAC 2015 V98-6 |       |
| Δ9-THC      | < LOQ   |                | %     | 0.0033 | 09/18/19 | J AOAC 2015 V98-6 |       |
| THC-A       | < LOQ   |                | %     | 0.0033 | 09/18/19 | J AOAC 2015 V98-6 |       |
| THC-Total   | < LOQ   |                | %     | 0.0062 | 09/23/19 | J AOAC 2015 V98-6 |       |
| THCV†       | < LOQ   |                | %     | 0.0033 | 09/18/19 | J AOAC 2015 V98-6 |       |
| THCV-A†     | < LOQ   |                | %     | 0.0033 | 09/18/19 | J AOAC 2015 V98-6 |       |
| THCV-Total† | < LOQ   |                | %     | 0.0061 | 09/23/19 | J AOAC 2015 V98-6 |       |

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be kept a maximum of 15 days from the report date unless prior arrangements have been made.



| Solvents           |        |        |      |        |       | Method EPA5021A         |        |        |      |        |       | Units µg/g |  | Batch 1908417 |  | Analyze 09/19/19 11:58 AM |  |  |  |
|--------------------|--------|--------|------|--------|-------|-------------------------|--------|--------|------|--------|-------|------------|--|---------------|--|---------------------------|--|--|--|
| Analyte            | Result | Limits | LOQ  | Status | Notes | Analyte                 | Result | Limits | LOQ  | Status | Notes |            |  |               |  |                           |  |  |  |
| 1,4-Dioxane        | < LOQ  | 380    | 100  | pass   |       | 2-Butanol               | < LOQ  | 5000   | 200  | pass   |       |            |  |               |  |                           |  |  |  |
| 2-Ethoxyethanol    | < LOQ  | 160    | 30.0 | pass   |       | 2-Methylbutane          | < LOQ  |        | 200  |        |       |            |  |               |  |                           |  |  |  |
| 2-Methylpentane    | < LOQ  |        | 30.0 |        |       | 2-Propanol (IPA)        | < LOQ  | 5000   | 200  | pass   |       |            |  |               |  |                           |  |  |  |
| 2,2-Dimethylbutane | < LOQ  |        | 30.0 |        |       | 2,2-Dimethylpropane     | < LOQ  |        | 200  |        |       |            |  |               |  |                           |  |  |  |
| 2,3-Dimethylbutane | < LOQ  |        | 30.0 |        |       | 3-Methylpentane         | < LOQ  |        | 30.0 |        |       |            |  |               |  |                           |  |  |  |
| Acetone            | < LOQ  | 5000   | 200  | pass   |       | Acetonitrile            | < LOQ  | 410    | 100  | pass   |       |            |  |               |  |                           |  |  |  |
| Benzene            | < LOQ  | 2.00   | 1.00 | pass   |       | Butanes (sum)           | < LOQ  | 5000   | 400  | pass   |       |            |  |               |  |                           |  |  |  |
| Cyclohexane        | < LOQ  | 3880   | 200  | pass   |       | Ethyl acetate           | < LOQ  | 5000   | 200  | pass   |       |            |  |               |  |                           |  |  |  |
| Ethyl benzene      | < LOQ  |        | 200  |        |       | Ethyl ether             | < LOQ  | 5000   | 200  | pass   |       |            |  |               |  |                           |  |  |  |
| Ethylene glycol    | < LOQ  | 620    | 200  | pass   |       | Ethylene oxide          | < LOQ  | 50.0   | 30.0 | pass   |       |            |  |               |  |                           |  |  |  |
| Hexanes (sum)      | < LOQ  | 290    | 150  | pass   |       | Isopropyl acetate       | < LOQ  | 5000   | 200  | pass   |       |            |  |               |  |                           |  |  |  |
| Isopropylbenzene   | < LOQ  | 70.0   | 30.0 | pass   |       | m,p-Xylene              | < LOQ  |        | 200  |        |       |            |  |               |  |                           |  |  |  |
| Methanol           | < LOQ  | 3000   | 200  | pass   |       | Methylene chloride      | < LOQ  | 600    | 200  | pass   |       |            |  |               |  |                           |  |  |  |
| Methylpropane      | < LOQ  |        | 200  |        |       | n-Butane                | < LOQ  |        | 200  |        |       |            |  |               |  |                           |  |  |  |
| n-Heptane          | < LOQ  | 5000   | 200  | pass   |       | n-Hexane                | < LOQ  |        | 30.0 |        |       |            |  |               |  |                           |  |  |  |
| n-Pentane          | < LOQ  |        | 200  |        |       | o-Xylene                | < LOQ  |        | 200  |        |       |            |  |               |  |                           |  |  |  |
| Pentanes (sum)     | < LOQ  | 5000   | 600  | pass   |       | Propane                 | < LOQ  | 5000   | 200  | pass   |       |            |  |               |  |                           |  |  |  |
| Tetrahydrofuran    | < LOQ  | 720    | 100  | pass   |       | Toluene                 | < LOQ  | 890    | 100  | pass   |       |            |  |               |  |                           |  |  |  |
| Total Xylenes      | < LOQ  |        | 400  |        |       | Total Xylenes and Ethyl | < LOQ  | 2170   | 600  | pass   |       |            |  |               |  |                           |  |  |  |



| Pesticides       |        | Method AOAC 2007.01 & EN 15662 (mod) |       |        |       | Units mg/kg         | Batch 1908433 | Analyze 09/19/19 02:35 PM |       |        |       |
|------------------|--------|--------------------------------------|-------|--------|-------|---------------------|---------------|---------------------------|-------|--------|-------|
| Analyte          | Result | Limits                               | LOQ   | Status | Notes | Analyte             | Result        | Limits                    | LOQ   | Status | Notes |
| Abamectin        | < LOQ  | 0.50                                 | 0.250 | pass   |       | Acephate            | < LOQ         | 0.40                      | 0.250 | pass   |       |
| Acequinocyl      | < LOQ  | 2.0                                  | 1.00  | pass   |       | Acetamiprid         | < LOQ         | 0.20                      | 0.100 | pass   |       |
| Aldicarb         | < LOQ  | 0.40                                 | 0.200 | pass   |       | Azoxystrobin        | < LOQ         | 0.20                      | 0.100 | pass   |       |
| Bifenazate       | < LOQ  | 0.20                                 | 0.100 | pass   |       | Bifenthrin          | < LOQ         | 0.20                      | 0.100 | pass   |       |
| Boscalid         | < LOQ  | 0.40                                 | 0.100 | pass   |       | Carbaryl            | < LOQ         | 0.20                      | 0.100 | pass   |       |
| Carbofuran       | < LOQ  | 0.20                                 | 0.100 | pass   |       | Chlorantraniliprole | < LOQ         | 0.20                      | 0.100 | pass   |       |
| Chlorfenapyr     | < LOQ  | 1.0                                  | 0.500 | pass   |       | Chlorpyrifos        | < LOQ         | 0.20                      | 0.100 | pass   |       |
| Clofentezine     | < LOQ  | 0.20                                 | 0.100 | pass   |       | Cyfluthrin (incl.   | < LOQ         | 1.0                       | 0.500 | pass   |       |
| Cypermethrin     | < LOQ  | 1.0                                  | 0.500 | pass   |       | Daminozide          | < LOQ         | 1.0                       | 0.500 | pass   |       |
| Diazinon         | < LOQ  | 0.20                                 | 0.100 | pass   |       | Dichlorvos          | < LOQ         | 1.0                       | 0.500 | pass   |       |
| Dimethoate       | < LOQ  | 0.20                                 | 0.100 | pass   |       | Ethoprophos         | < LOQ         | 0.20                      | 0.100 | pass   |       |
| Etofenprox       | < LOQ  | 0.40                                 | 0.200 | pass   |       | Etoxazole           | < LOQ         | 0.20                      | 0.100 | pass   |       |
| Fenoxycarb       | < LOQ  | 0.20                                 | 0.100 | pass   |       | Fenpyroximate       | < LOQ         | 0.40                      | 0.200 | pass   |       |
| Fipronil         | < LOQ  | 0.40                                 | 0.200 | pass   |       | Fonicamid           | < LOQ         | 1.0                       | 0.400 | pass   |       |
| Fludioxonil      | < LOQ  | 0.40                                 | 0.200 | pass   |       | Hexythiazox         | < LOQ         | 1.0                       | 0.400 | pass   |       |
| Imazalil         | < LOQ  | 0.20                                 | 0.100 | pass   |       | Imidacloprid        | < LOQ         | 0.40                      | 0.200 | pass   |       |
| Kresoxim-methyl  | < LOQ  | 0.40                                 | 0.200 | pass   |       | Malathion           | < LOQ         | 0.20                      | 0.100 | pass   |       |
| Metalaxyl        | < LOQ  | 0.20                                 | 0.100 | pass   |       | Methiocarb          | < LOQ         | 0.20                      | 0.100 | pass   |       |
| Methomyl         | < LOQ  | 0.40                                 | 0.200 | pass   |       | MGK-264             | < LOQ         | 0.20                      | 0.100 | pass   |       |
| Myclobutanil     | < LOQ  | 0.20                                 | 0.100 | pass   |       | Naled               | < LOQ         | 0.50                      | 0.250 | pass   |       |
| Oxamyl           | < LOQ  | 1.0                                  | 0.500 | pass   |       | Paclobutrazole      | < LOQ         | 0.40                      | 0.200 | pass   |       |
| Parathion-Methyl | < LOQ  | 0.20                                 | 0.200 | pass   |       | Permethrin          | < LOQ         | 0.20                      | 0.100 | pass   |       |
| Phosmet          | < LOQ  | 0.20                                 | 0.100 | pass   |       | Piperonyl butoxide  | < LOQ         | 2.0                       | 1.00  | pass   |       |
| Prallethrin      | < LOQ  | 0.20                                 | 0.100 | pass   |       | Propiconazole       | < LOQ         | 0.40                      | 0.200 | pass   |       |
| Propoxur         | < LOQ  | 0.20                                 | 0.100 | pass   |       | Pyrethrin I (total) | < LOQ         | 1.0                       | 0.500 | pass   |       |
| Pyridaben        | < LOQ  | 0.20                                 | 0.100 | pass   |       | Spinosad            | < LOQ         | 0.20                      | 0.100 | pass   |       |
| Spiromesifen     | < LOQ  | 0.20                                 | 0.100 | pass   |       | Spirotetramat       | < LOQ         | 0.20                      | 0.100 | pass   |       |
| Spiroxamine      | < LOQ  | 0.40                                 | 0.200 | pass   |       | Tebuconazole        | < LOQ         | 0.40                      | 0.200 | pass   |       |
| Thiacloprid      | < LOQ  | 0.20                                 | 0.100 | pass   |       | Thiamethoxam        | < LOQ         | 0.20                      | 0.100 | pass   |       |
| Trifloxystrobin  | < LOQ  | 0.20                                 | 0.100 | pass   |       |                     |               |                           |       |        |       |

-----  
This sample was selected and submitted by the client. Test results are representative of the individual sample.



**Abbreviations**

**Limits:** Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220

**Limit(s) of Quantitation (LOQ):** The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

† = Analyte not NELAP accredited.

**Units of Measure**

g = Gram

µg/g = Microgram per gram

mg/kg = Milligram per kilogram = parts per million (ppm)

mg/1.09g = Milligram per 1.09g

mg/32.7g = Milligram per 32.7g

% = Percentage of sample

% wt = µg/g divided by 10,000

Approved Signatory

Derrick Tanner  
General Manager