



This report cannot be used for ODA, OHA or OLCC compliance requirements.

This is an amended version of the report# 081290-01.
Reason: Updated Product Identity.

Product identity: HDTO-1245 Pomegranate Tea 1500mg **Client/Metric ID:** .
Laboratory ID: 19-009554-0007 **Sample Date:** 08/09/19 13:00

Summary

Potency:

| Analyte | Result | Limits | Units | LOQ | |
|-------------------------|---------------|---------------|--------------|------------|---------------------------------|
| CBD | 4.67 | | % | 0.10 | CBD-Total (%) 4.67 % |
| Analyte per 1ml | Result | Limits | Units | LOQ | CBD-Total per 1ml 51.4 mg/1ml |
| CBD per 1ml | 51.4 | | mg/1ml | 1.00 | |
| Analyte per 30ml | Result | Limits | Units | LOQ | CBD-Total per 30ml 1540 mg/30ml |
| CBD per 30ml | 1540 | | mg/30ml | 30.1 | |
| | | | | | THC-Total (%) < LOQ |

Serving size: 30ml
Servings per container: 30

Residual Solvents:

All analytes passing and less than LOQ.

Pesticides:

All analytes passing and less than LOQ.



This report cannot be used for ODA, OHA or OLCC compliance requirements.

Customer: Sentia Wellness
3931 NE Columbia Blvd
Portland Oregon 97211
United States

Product identity: HDTO-1245 Pomegranate Tea 1500mg

Client/Metric ID: .

Sample Date: 08/09/19 13:00

Laboratory ID: 19-009554-0007

Relinquished by: Sentia Wellness - see Chain of C

Temp: 24.4 °C

Serving Size #1: 1.1 g

Sample Results

| Potency | | Batch: 1907356 | | | | | |
|-------------|--------|----------------|-------|--------|----------|-------------------|-------|
| Analyte | Result | Limits | Units | LOQ | Analyze | Method | Notes |
| CBC† | < LOQ | | % | 0.0903 | 08/13/19 | J AOAC 2015 V98-6 | |
| CBC-A† | < LOQ | | % | 0.0903 | 08/13/19 | J AOAC 2015 V98-6 | |
| CBC-Total† | < LOQ | | % | 0.170 | 08/15/19 | J AOAC 2015 V98-6 | |
| CBD | 4.67 | | % | 0.0903 | 08/13/19 | J AOAC 2015 V98-6 | |
| CBD-A | < LOQ | | % | 0.0903 | 08/13/19 | J AOAC 2015 V98-6 | |
| CBD-Total | 4.67 | | % | 0.170 | 08/15/19 | J AOAC 2015 V98-6 | |
| CBDV† | < LOQ | | % | 0.0903 | 08/13/19 | J AOAC 2015 V98-6 | |
| CBDV-A† | < LOQ | | % | 0.0903 | 08/13/19 | J AOAC 2015 V98-6 | |
| CBDV-Total† | < LOQ | | % | 0.169 | 08/15/19 | J AOAC 2015 V98-6 | |
| CBG† | < LOQ | | % | 0.0903 | 08/13/19 | J AOAC 2015 V98-6 | |
| CBG-A† | < LOQ | | % | 0.0903 | 08/13/19 | J AOAC 2015 V98-6 | |
| CBG-Total† | < LOQ | | % | 0.169 | 08/15/19 | J AOAC 2015 V98-6 | |
| CBL† | < LOQ | | % | 0.0903 | 08/13/19 | J AOAC 2015 V98-6 | |
| CBN | < LOQ | | % | 0.0903 | 08/13/19 | J AOAC 2015 V98-6 | |
| Δ8-THC† | < LOQ | | % | 0.0903 | 08/13/19 | J AOAC 2015 V98-6 | |
| Δ9-THC | < LOQ | | % | 0.0903 | 08/13/19 | J AOAC 2015 V98-6 | |
| THC-A | < LOQ | | % | 0.0903 | 08/13/19 | J AOAC 2015 V98-6 | |
| THC-Total | < LOQ | | % | 0.170 | 08/15/19 | J AOAC 2015 V98-6 | |
| THCV† | < LOQ | | % | 0.0903 | 08/13/19 | J AOAC 2015 V98-6 | |
| THCV-A† | < LOQ | | % | 0.0903 | 08/13/19 | J AOAC 2015 V98-6 | |
| THCV-Total† | < LOQ | | % | 0.169 | 08/15/19 | J AOAC 2015 V98-6 | |



| Potency per 1ml | | Batch: 1907356 | | | | | |
|---------------------------------|--------|----------------|--------|------|----------|-------------------|-------|
| Analyte | Result | Limits | Units | LOQ | Analyze | Method | Notes |
| CBC per 1ml [†] | < LOQ | | mg/1ml | 1.00 | 08/13/19 | J AOAC 2015 V98-6 | |
| CBC-A per 1ml [†] | < LOQ | | mg/1ml | 1.00 | 08/13/19 | J AOAC 2015 V98-6 | |
| CBC-Total per 1ml [†] | < LOQ | | mg/1ml | 1.88 | 08/15/19 | J AOAC 2015 V98-6 | |
| CBD per 1ml | 51.4 | | mg/1ml | 1.00 | 08/13/19 | J AOAC 2015 V98-6 | |
| CBD-A per 1ml | < LOQ | | mg/1ml | 1.00 | 08/13/19 | J AOAC 2015 V98-6 | |
| CBD-Total per 1ml | 51.4 | | mg/1ml | 1.88 | 08/15/19 | J AOAC 2015 V98-6 | |
| CBDV per 1ml [†] | < LOQ | | mg/1ml | 1.00 | 08/13/19 | J AOAC 2015 V98-6 | |
| CBDV-A per 1ml [†] | < LOQ | | mg/1ml | 1.00 | 08/13/19 | J AOAC 2015 V98-6 | |
| CBDV-Total per 1ml [†] | < LOQ | | mg/1ml | 1.88 | 08/15/19 | J AOAC 2015 V98-6 | |
| CBG per 1ml [†] | < LOQ | | mg/1ml | 1.00 | 08/13/19 | J AOAC 2015 V98-6 | |
| CBG-A per 1ml [†] | < LOQ | | mg/1ml | 1.00 | 08/13/19 | J AOAC 2015 V98-6 | |
| CBG-Total per 1ml [†] | < LOQ | | mg/1ml | 1.88 | 08/15/19 | J AOAC 2015 V98-6 | |
| CBL per 1ml [†] | < LOQ | | mg/1ml | 1.00 | 08/13/19 | J AOAC 2015 V98-6 | |
| CBN per 1ml | < LOQ | | mg/1ml | 1.00 | 08/13/19 | J AOAC 2015 V98-6 | |
| Δ8-THC per 1ml [†] | < LOQ | | mg/1ml | 1.00 | 08/13/19 | J AOAC 2015 V98-6 | |
| Δ9-THC per 1ml | < LOQ | | mg/1ml | 1.00 | 08/13/19 | J AOAC 2015 V98-6 | |
| THC-A per 1ml | < LOQ | | mg/1ml | 1.00 | 08/13/19 | J AOAC 2015 V98-6 | |
| THC-Total per 1ml | < LOQ | | mg/1ml | 1.88 | 08/15/19 | J AOAC 2015 V98-6 | |
| THCV per 1ml [†] | < LOQ | | mg/1ml | 1.00 | 08/13/19 | J AOAC 2015 V98-6 | |
| THCV-A per 1ml [†] | < LOQ | | mg/1ml | 1.00 | 08/13/19 | J AOAC 2015 V98-6 | |
| THCV-Total per 1ml [†] | < LOQ | | mg/1ml | 1.88 | 08/15/19 | J AOAC 2015 V98-6 | |

| Potency per 30ml | | Batch: 1907356 | | | | | |
|----------------------------------|--------|----------------|---------|------|----------|-------------------|-------|
| Analyte | Result | Limits | Units | LOQ | Analyze | Method | Notes |
| CBC per 30ml [†] | < LOQ | | mg/30ml | 30.1 | 08/13/19 | J AOAC 2015 V98-6 | |
| CBC-A per 30ml [†] | < LOQ | | mg/30ml | 30.1 | 08/13/19 | J AOAC 2015 V98-6 | |
| CBC-Total per 30ml [†] | < LOQ | | mg/30ml | 56.6 | 08/15/19 | J AOAC 2015 V98-6 | |
| CBD per 30ml | 1540 | | mg/30ml | 30.1 | 08/13/19 | J AOAC 2015 V98-6 | |
| CBD-A per 30ml | < LOQ | | mg/30ml | 30.1 | 08/13/19 | J AOAC 2015 V98-6 | |
| CBD-Total per 30ml | 1540 | | mg/30ml | 56.6 | 08/15/19 | J AOAC 2015 V98-6 | |
| CBDV per 30ml [†] | < LOQ | | mg/30ml | 30.1 | 08/13/19 | J AOAC 2015 V98-6 | |
| CBDV-A per 30ml [†] | < LOQ | | mg/30ml | 30.1 | 08/13/19 | J AOAC 2015 V98-6 | |
| CBDV-Total per 30ml [†] | < LOQ | | mg/30ml | 56.6 | 08/15/19 | J AOAC 2015 V98-6 | |
| CBG per 30ml [†] | < LOQ | | mg/30ml | 30.1 | 08/13/19 | J AOAC 2015 V98-6 | |
| CBG-A per 30ml [†] | < LOQ | | mg/30ml | 30.1 | 08/13/19 | J AOAC 2015 V98-6 | |
| CBG-Total per 30ml [†] | < LOQ | | mg/30ml | 56.6 | 08/15/19 | J AOAC 2015 V98-6 | |
| CBL per 30ml [†] | < LOQ | | mg/30ml | 30.1 | 08/13/19 | J AOAC 2015 V98-6 | |
| CBN per 30ml | < LOQ | | mg/30ml | 30.1 | 08/13/19 | J AOAC 2015 V98-6 | |
| Δ8-THC per 30ml [†] | < LOQ | | mg/30ml | 30.1 | 08/13/19 | J AOAC 2015 V98-6 | |
| Δ9-THC per 30ml | < LOQ | | mg/30ml | 30.1 | 08/13/19 | J AOAC 2015 V98-6 | |
| THC-A per 30ml | < LOQ | | mg/30ml | 30.1 | 08/13/19 | J AOAC 2015 V98-6 | |
| THC-Total per 30ml | < LOQ | | mg/30ml | 56.6 | 08/15/19 | J AOAC 2015 V98-6 | |
| THCV per 30ml [†] | < LOQ | | mg/30ml | 30.1 | 08/13/19 | J AOAC 2015 V98-6 | |
| THCV-A per 30ml [†] | < LOQ | | mg/30ml | 30.1 | 08/13/19 | J AOAC 2015 V98-6 | |
| THCV-Total per 30ml [†] | < LOQ | | mg/30ml | 56.6 | 08/15/19 | J AOAC 2015 V98-6 | |

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be kept a maximum of 15 days from the report date unless prior arrangements have been made.



This report cannot be used for ODA, OHA or OLCC compliance requirements.

| Solvents | | | | | Method EPA5021A | Units µg/g | Batch 1907239 | Analyze 08/12/19 03:57 PM | | | |
|--------------------|--------|--------|------|--------|-----------------|-------------------------|---------------|---------------------------|------|--------|-------|
| Analyte | Result | Limits | LOQ | Status | Notes | Analyte | Result | Limits | LOQ | Status | Notes |
| 1,4-Dioxane | < LOQ | 380 | 100 | pass | | 2-Butanol | < LOQ | 5000 | 200 | pass | |
| 2-Ethoxyethanol | < LOQ | 160 | 30.0 | pass | | 2-Methylbutane | < LOQ | | 200 | | |
| 2-Methylpentane | < LOQ | | 30.0 | | | 2-Propanol (IPA) | < LOQ | 5000 | 200 | pass | |
| 2,2-Dimethylbutane | < LOQ | | 30.0 | | | 2,2-Dimethylpropane | < LOQ | | 200 | | |
| 2,3-Dimethylbutane | < LOQ | | 30.0 | | | 3-Methylpentane | < LOQ | | 30.0 | | |
| Acetone | < LOQ | 5000 | 200 | pass | | Acetonitrile | < LOQ | 410 | 100 | pass | |
| Benzene | < LOQ | 2.00 | 1.00 | pass | | Butanes (sum) | < LOQ | 5000 | 400 | pass | |
| Cyclohexane | < LOQ | 3880 | 200 | pass | | Ethyl acetate | < LOQ | 5000 | 200 | pass | |
| Ethyl benzene | < LOQ | | 200 | | | Ethyl ether | < LOQ | 5000 | 200 | pass | |
| Ethylene glycol | < LOQ | 620 | 200 | pass | | Ethylene oxide | < LOQ | 50.0 | 30.0 | pass | |
| Hexanes (sum) | < LOQ | 290 | 150 | pass | | Isopropyl acetate | < LOQ | 5000 | 200 | pass | |
| Isopropylbenzene | < LOQ | 70.0 | 30.0 | pass | | m,p-Xylene | < LOQ | | 200 | | |
| Methanol | < LOQ | 3000 | 200 | pass | | Methylene chloride | < LOQ | 600 | 200 | pass | |
| Methylpropane | < LOQ | | 200 | | | n-Butane | < LOQ | | 200 | | |
| n-Heptane | < LOQ | 5000 | 200 | pass | | n-Hexane | < LOQ | | 30.0 | | |
| n-Pentane | < LOQ | | 200 | | | o-Xylene | < LOQ | | 200 | | |
| Pentanes (sum) | < LOQ | 5000 | 600 | pass | | Propane | < LOQ | 5000 | 200 | pass | |
| Tetrahydrofuran | < LOQ | 720 | 100 | pass | | Toluene | < LOQ | 890 | 100 | pass | |
| Total Xylenes | < LOQ | | 400 | | | Total Xylenes and Ethyl | < LOQ | 2170 | 600 | pass | |



This report cannot be used for ODA, OHA or OLCC compliance requirements.

| Pesticides | | | | | | | | | | | Method AOAC 2007.01 & EN 15662 (mod) | | | | | Units mg/kg | | Batch 1907277 | | Analyze 08/13/19 07:38 PM | | | | |
|------------------|--------|--------|-------|--------|-------|---------------------|--------|--------|-------|--------|--------------------------------------|---------|--------|--------|-----|-------------|-------|---------------|--|---------------------------|--|--|--|--|
| Analyte | Result | Limits | LOQ | Status | Notes | Analyte | Result | Limits | LOQ | Status | Notes | Analyte | Result | Limits | LOQ | Status | Notes | | | | | | | |
| Abamectin | < LOQ | 0.50 | 0.250 | pass | | Acephate | < LOQ | 0.40 | 0.250 | pass | | | | | | | | | | | | | | |
| Acequinocyl | < LOQ | 2.0 | 1.00 | pass | | Acetamiprid | < LOQ | 0.20 | 0.100 | pass | | | | | | | | | | | | | | |
| Aldicarb | < LOQ | 0.40 | 0.200 | pass | | Azoxystrobin | < LOQ | 0.20 | 0.100 | pass | | | | | | | | | | | | | | |
| Bifenazate | < LOQ | 0.20 | 0.100 | pass | | Bifenthrin | < LOQ | 0.20 | 0.100 | pass | | | | | | | | | | | | | | |
| Boscalid | < LOQ | 0.40 | 0.100 | pass | | Carbaryl | < LOQ | 0.20 | 0.100 | pass | | | | | | | | | | | | | | |
| Carbofuran | < LOQ | 0.20 | 0.100 | pass | | Chlorantraniliprole | < LOQ | 0.20 | 0.100 | pass | | | | | | | | | | | | | | |
| Chlorfenapyr | < LOQ | 1.0 | 0.500 | pass | | Chlorpyrifos | < LOQ | 0.20 | 0.100 | pass | | | | | | | | | | | | | | |
| Clofentezine | < LOQ | 0.20 | 0.100 | pass | | Cyfluthrin (incl. | < LOQ | 1.0 | 0.500 | pass | | | | | | | | | | | | | | |
| Cypermethrin | < LOQ | 1.0 | 0.500 | pass | | Daminozide | < LOQ | 1.0 | 0.500 | pass | | | | | | | | | | | | | | |
| Diazinon | < LOQ | 0.20 | 0.100 | pass | | Dichlorvos | < LOQ | 1.0 | 0.500 | pass | | | | | | | | | | | | | | |
| Dimethoate | < LOQ | 0.20 | 0.100 | pass | | Ethoprophos | < LOQ | 0.20 | 0.100 | pass | | | | | | | | | | | | | | |
| Etofenprox | < LOQ | 0.40 | 0.200 | pass | | Etoxazole | < LOQ | 0.20 | 0.100 | pass | | | | | | | | | | | | | | |
| Fenoxycarb | < LOQ | 0.20 | 0.100 | pass | | Fenpyroximate | < LOQ | 0.40 | 0.200 | pass | | | | | | | | | | | | | | |
| Fipronil | < LOQ | 0.40 | 0.200 | pass | | Flonicamid | < LOQ | 1.0 | 0.400 | pass | | | | | | | | | | | | | | |
| Fludioxonil | < LOQ | 0.40 | 0.200 | pass | | Hexythiazox | < LOQ | 1.0 | 0.400 | pass | | | | | | | | | | | | | | |
| Imazalil | < LOQ | 0.20 | 0.100 | pass | | Imidacloprid | < LOQ | 0.40 | 0.200 | pass | | | | | | | | | | | | | | |
| Kresoxim-methyl | < LOQ | 0.40 | 0.200 | pass | | Malathion | < LOQ | 0.20 | 0.100 | pass | | | | | | | | | | | | | | |
| Metalaxyl | < LOQ | 0.20 | 0.100 | pass | | Methiocarb | < LOQ | 0.20 | 0.100 | pass | | | | | | | | | | | | | | |
| Methomyl | < LOQ | 0.40 | 0.200 | pass | | MGK-264 | < LOQ | 0.20 | 0.100 | pass | | | | | | | | | | | | | | |
| Myclobutanil | < LOQ | 0.20 | 0.100 | pass | | Naled | < LOQ | 0.50 | 0.250 | pass | | | | | | | | | | | | | | |
| Oxamyl | < LOQ | 1.0 | 0.500 | pass | | Paclobutrazole | < LOQ | 0.40 | 0.200 | pass | | | | | | | | | | | | | | |
| Parathion-Methyl | < LOQ | 0.20 | 0.200 | pass | | Permethrin | < LOQ | 0.20 | 0.100 | pass | | | | | | | | | | | | | | |
| Phosmet | < LOQ | 0.20 | 0.100 | pass | | Piperonyl butoxide | < LOQ | 2.0 | 1.00 | pass | | | | | | | | | | | | | | |
| Prallethrin | < LOQ | 0.20 | 0.100 | pass | | Propiconazole | < LOQ | 0.40 | 0.200 | pass | | | | | | | | | | | | | | |
| Propoxur | < LOQ | 0.20 | 0.100 | pass | | Pyrethrin I (total) | < LOQ | 1.0 | 0.500 | pass | | | | | | | | | | | | | | |
| Pyridaben | < LOQ | 0.20 | 0.100 | pass | | Spinosad | < LOQ | 0.20 | 0.100 | pass | | | | | | | | | | | | | | |
| Spiromesifen | < LOQ | 0.20 | 0.100 | pass | | Spirotetramat | < LOQ | 0.20 | 0.100 | pass | | | | | | | | | | | | | | |
| Spiroxamine | < LOQ | 0.40 | 0.200 | pass | | Tebuconazole | < LOQ | 0.40 | 0.200 | pass | | | | | | | | | | | | | | |
| Thiacloprid | < LOQ | 0.20 | 0.100 | pass | | Thiamethoxam | < LOQ | 0.20 | 0.100 | pass | | | | | | | | | | | | | | |
| Trifloxystrobin | < LOQ | 0.20 | 0.100 | pass | | | | | | | | | | | | | | | | | | | | |



This report cannot be used for ODA, OHA or OLCC compliance requirements.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

† = Analyte not NELAP accredited.

Units of Measure

g = Gram

µg/g = Microgram per gram

mg/kg = Milligram per kilogram = parts per million (ppm)

mg/1.1g = Milligram per 1.1g

% = Percentage of sample

% wt = µg/g divided by 10,000

Approved Signatory

Derrick Tanner
General Manager