



**Product identity:** Social Unflavored 750mg HDTO-1317 **Client/Metric ID:** .  
**Laboratory ID:** 19-011248-0006 **Sample Date:** 09/16/19

**Summary**

**Potency:**

Analyte	Result	Limits	Units	
CBC†	0.0390		%	CBD-Total (%) 2.86%
CBD	2.86		%	
CBDV†	0.0129		%	CBD-Total per 1ml 31.2 mg/1ml
CBG†	0.00778		%	
CBN	0.0193		%	CBD-Total per 30ml 935 mg/30ml
				THC-Total (%) < LOQ
Analyte per 1ml	Result	Limits	Units	
CBC per 1ml†	0.425		mg/1ml	
CBD per 1ml	31.2		mg/1ml	
CBDV per 1ml†	0.141		mg/1ml	
CBG per 1ml†	0.0848		mg/1ml	
CBN per 1ml	0.210		mg/1ml	
Analyte per 30ml	Result	Limits	Units	
CBC per 30ml†	12.8		mg/30ml	
CBD per 30ml	935		mg/30ml	
CBDV per 30ml†	4.22		mg/30ml	
CBG per 30ml†	2.54		mg/30ml	
CBN per 30ml	6.31		mg/30ml	

Serving size: 1ml  
Servings per container: 30

**Residual Solvents:**

All analytes passing and less than LOQ.

**Pesticides:**

All analytes passing and less than LOQ.



**Customer:** Sentia Wellness  
3931 NE Columbia Blvd  
Portland Oregon 97211  
United States

**Product identity:** Social Unflavored 750mg HDTO-1317

**Client/Metric ID:** .

**Sample Date:** 09/16/19

**Laboratory ID:** 19-011248-0006

**Relinquished by:** Sentia Wellness

**Temp:** 22.9 °C

**Serving Size #1:** 1.09 g

**Serving Size #2:** 32.7 g

**Sample Results**

Potency		Batch: 1908524					
Analyte	Result	Limits	Units	LOQ	Analyze	Method	Notes
CBC†	0.0390		%	0.0032	09/19/19	J AOAC 2015 V98-6	
CBC-A†	< LOQ		%	0.0032	09/19/19	J AOAC 2015 V98-6	
CBC-Total†	0.0390		%	0.0061	09/23/19	J AOAC 2015 V98-6	
CBD	2.86		%	0.0324	09/21/19	J AOAC 2015 V98-6	
CBD-A	< LOQ		%	0.0032	09/19/19	J AOAC 2015 V98-6	
CBD-Total	2.86		%	0.0352	09/23/19	J AOAC 2015 V98-6	
CBDV†	0.0129		%	0.0032	09/19/19	J AOAC 2015 V98-6	
CBDV-A†	< LOQ		%	0.0032	09/19/19	J AOAC 2015 V98-6	
CBDV-Total†	0.0129		%	0.0060	09/23/19	J AOAC 2015 V98-6	
CBG†	0.00778		%	0.0032	09/19/19	J AOAC 2015 V98-6	
CBG-A†	< LOQ		%	0.0032	09/19/19	J AOAC 2015 V98-6	
CBG-Total†	0.00778		%	0.0060	09/23/19	J AOAC 2015 V98-6	
CBL†	< LOQ		%	0.0032	09/19/19	J AOAC 2015 V98-6	
CBN	0.0193		%	0.0032	09/19/19	J AOAC 2015 V98-6	
Δ8-THC†	< LOQ		%	0.0032	09/19/19	J AOAC 2015 V98-6	
Δ9-THC	< LOQ		%	0.0032	09/19/19	J AOAC 2015 V98-6	
THC-A	< LOQ		%	0.0032	09/19/19	J AOAC 2015 V98-6	
THC-Total	< LOQ		%	0.0061	09/23/19	J AOAC 2015 V98-6	
THCV†	< LOQ		%	0.0032	09/19/19	J AOAC 2015 V98-6	
THCV-A†	< LOQ		%	0.0032	09/19/19	J AOAC 2015 V98-6	
THCV-Total†	< LOQ		%	0.0060	09/23/19	J AOAC 2015 V98-6	

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be kept a maximum of 15 days from the report date unless prior arrangements have been made.



Solvents		Method EPA5021A				Units µg/g	Batch 1908419	Analyze 09/19/19 12:02 PM			
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
1,4-Dioxane	< LOQ	380	100	pass		2-Butanol	< LOQ	5000	200	pass	
2-Ethoxyethanol	< LOQ	160	30.0	pass		2-Methylbutane	< LOQ		200		
2-Methylpentane	< LOQ		30.0			2-Propanol (IPA)	< LOQ	5000	200	pass	
2,2-Dimethylbutane	< LOQ		30.0			2,2-Dimethylpropane	< LOQ		200		
2,3-Dimethylbutane	< LOQ		30.0			3-Methylpentane	< LOQ		30.0		
Acetone	< LOQ	5000	200	pass		Acetonitrile	< LOQ	410	100	pass	
Benzene	< LOQ	2.00	1.00	pass		Butanes (sum)	< LOQ	5000	400	pass	
Cyclohexane	< LOQ	3880	200	pass		Ethyl acetate	< LOQ	5000	200	pass	
Ethyl benzene	< LOQ		200			Ethyl ether	< LOQ	5000	200	pass	
Ethylene glycol	< LOQ	620	200	pass		Ethylene oxide	< LOQ	50.0	30.0	pass	
Hexanes (sum)	< LOQ	290	150	pass		Isopropyl acetate	< LOQ	5000	200	pass	
Isopropylbenzene	< LOQ	70.0	30.0	pass		m,p-Xylene	< LOQ		200		
Methanol	< LOQ	3000	200	pass		Methylene chloride	< LOQ	600	200	pass	
Methylpropane	< LOQ		200			n-Butane	< LOQ		200		
n-Heptane	< LOQ	5000	200	pass		n-Hexane	< LOQ		30.0		
n-Pentane	< LOQ		200			o-Xylene	< LOQ		200		
Pentanes (sum)	< LOQ	5000	600	pass		Propane	< LOQ	5000	200	pass	
Tetrahydrofuran	< LOQ	720	100	pass		Toluene	< LOQ	890	100	pass	
Total Xylenes	< LOQ		400			Total Xylenes and Ethyl	< LOQ	2170	600	pass	



Pesticides		Method AOAC 2007.01 & EN 15662 (mod)				Units mg/kg	Batch 1908433	Analyze 09/19/19 02:35 PM			
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
Abamectin	< LOQ	0.50	0.250	pass		Acephate	< LOQ	0.40	0.250	pass	
Acequinocyl	< LOQ	2.0	1.00	pass		Acetamiprid	< LOQ	0.20	0.100	pass	
Aldicarb	< LOQ	0.40	0.200	pass		Azoxystrobin	< LOQ	0.20	0.100	pass	
Bifenazate	< LOQ	0.20	0.100	pass		Bifenthrin	< LOQ	0.20	0.100	pass	
Boscalid	< LOQ	0.40	0.100	pass		Carbaryl	< LOQ	0.20	0.100	pass	
Carbofuran	< LOQ	0.20	0.100	pass		Chlorantraniliprole	< LOQ	0.20	0.100	pass	
Chlorfenapyr	< LOQ	1.0	0.500	pass		Chlorpyrifos	< LOQ	0.20	0.100	pass	
Clofentezine	< LOQ	0.20	0.100	pass		Cyfluthrin (incl.	< LOQ	1.0	0.500	pass	
Cypermethrin	< LOQ	1.0	0.500	pass		Daminozide	< LOQ	1.0	0.500	pass	
Diazinon	< LOQ	0.20	0.100	pass		Dichlorvos	< LOQ	1.0	0.500	pass	
Dimethoate	< LOQ	0.20	0.100	pass		Ethoprophos	< LOQ	0.20	0.100	pass	
Etofenprox	< LOQ	0.40	0.200	pass		Etoxazole	< LOQ	0.20	0.100	pass	
Fenoxycarb	< LOQ	0.20	0.100	pass		Fenpyroximate	< LOQ	0.40	0.200	pass	
Fipronil	< LOQ	0.40	0.200	pass		Fonicamid	< LOQ	1.0	0.400	pass	
Fludioxonil	< LOQ	0.40	0.200	pass		Hexythiazox	< LOQ	1.0	0.400	pass	
Imazalil	< LOQ	0.20	0.100	pass		Imidacloprid	< LOQ	0.40	0.200	pass	
Kresoxim-methyl	< LOQ	0.40	0.200	pass		Malathion	< LOQ	0.20	0.100	pass	
Metalaxyl	< LOQ	0.20	0.100	pass		Methiocarb	< LOQ	0.20	0.100	pass	
Methomyl	< LOQ	0.40	0.200	pass		MGK-264	< LOQ	0.20	0.100	pass	
Myclobutanil	< LOQ	0.20	0.100	pass		Naled	< LOQ	0.50	0.250	pass	
Oxamyl	< LOQ	1.0	0.500	pass		Paclobutrazole	< LOQ	0.40	0.200	pass	
Parathion-Methyl	< LOQ	0.20	0.200	pass		Permethrin	< LOQ	0.20	0.100	pass	
Phosmet	< LOQ	0.20	0.100	pass		Piperonyl butoxide	< LOQ	2.0	1.00	pass	
Prallethrin	< LOQ	0.20	0.100	pass		Propiconazole	< LOQ	0.40	0.200	pass	
Propoxur	< LOQ	0.20	0.100	pass		Pyrethrin I (total)	< LOQ	1.0	0.500	pass	
Pyridaben	< LOQ	0.20	0.100	pass		Spinosad	< LOQ	0.20	0.100	pass	
Spiromesifen	< LOQ	0.20	0.100	pass		Spirotetramat	< LOQ	0.20	0.100	pass	
Spiroxamine	< LOQ	0.40	0.200	pass		Tebuconazole	< LOQ	0.40	0.200	pass	
Thiacloprid	< LOQ	0.20	0.100	pass		Thiamethoxam	< LOQ	0.20	0.100	pass	
Trifloxystrobin	< LOQ	0.20	0.100	pass							

-----  
This sample was selected and submitted by the client. Test results are representative of the individual sample.



**Abbreviations**

**Limits:** Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220

**Limit(s) of Quantitation (LOQ):** The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

† = Analyte not NELAP accredited.

**Units of Measure**

g = Gram

µg/g = Microgram per gram

mg/kg = Milligram per kilogram = parts per million (ppm)

mg/1.09g = Milligram per 1.09g

mg/32.7g = Milligram per 32.7g

% = Percentage of sample

% wt = µg/g divided by 10,000

Approved Signatory

Derrick Tanner  
General Manager