



**Product identity:** 250mg Bacon Pet Drops (HDTO-1346)  
**Laboratory ID:** 19-012092-0001

**Summary**

**Potency:**

| Analyte                    | Result  | Limits | Units   |  |                                |
|----------------------------|---------|--------|---------|--|--------------------------------|
| CBC <sup>†</sup>           | 0.00448 |        | %       |  | CBD-Total (%) 1.01%            |
| CBD                        | 1.01    |        | %       |  |                                |
| CBDV <sup>†</sup>          | 0.00515 |        | %       |  | CBD-Total per 1ml 11.1 mg/1ml  |
|                            |         |        |         |  |                                |
|                            |         |        |         |  | CBD-Total per 30ml 333 mg/30ml |
| Analyte per 1ml            | Result  | Limits | Units   |  |                                |
| CBC per 1ml <sup>†</sup>   | 0.0493  |        | mg/1ml  |  | THC-Total (%) < LOQ            |
| CBD per 1ml                | 11.1    |        | mg/1ml  |  |                                |
| CBDV per 1ml <sup>†</sup>  | 0.0567  |        | mg/1ml  |  |                                |
| Analyte per 30ml           | Result  | Limits | Units   |  |                                |
| CBC per 30ml <sup>†</sup>  | 1.48    |        | mg/30ml |  |                                |
| CBD per 30ml               | 333     |        | mg/30ml |  |                                |
| CBDV per 30ml <sup>†</sup> | 1.70    |        | mg/30ml |  |                                |

Serving size: 1ml  
Servings per container: 30

**Residual Solvents:**

All analytes passing and less than LOQ.

**Pesticides:**

All analytes passing and less than LOQ.

**Metals:**

Less than LOQ for all analytes.

**Microbiology:**

Less than LOQ for all analytes.



**Customer:** Sentia Wellness  
PO Box 15309  
Portland Oregon 97293  
United States

**Product identity:** 250mg Bacon Pet Drops (HDTO-1346)  
**Client/Metric ID:** .  
**Sample Date:** 10/02/19 15:00  
**Laboratory ID:** 19-012092-0001  
**Relinquished by:** Zack Holden  
**Temp:** 19.6 °C  
**Serving Size #1:** 1.1 g  
**Serving Size #2:** 33 g

**Sample Results**

| Potency                 |         | Batch: 1909050 |       |        |          |                   |       |
|-------------------------|---------|----------------|-------|--------|----------|-------------------|-------|
| Analyte                 | Result  | Limits         | Units | LOQ    | Analyze  | Method            | Notes |
| CBC <sup>†</sup>        | 0.00448 |                | %     | 0.0033 | 10/05/19 | J AOAC 2015 V98-6 |       |
| CBC-A <sup>†</sup>      | < LOQ   |                | %     | 0.0033 | 10/05/19 | J AOAC 2015 V98-6 |       |
| CBC-Total <sup>†</sup>  | 0.00661 |                | %     | 0.0061 | 10/17/19 | J AOAC 2015 V98-6 |       |
| CBD                     | 1.01    |                | %     | 0.0326 | 10/04/19 | J AOAC 2015 V98-6 |       |
| CBD-A                   | < LOQ   |                | %     | 0.0033 | 10/05/19 | J AOAC 2015 V98-6 |       |
| CBD-Total               | 1.01    |                | %     | 0.0355 | 10/17/19 | J AOAC 2015 V98-6 |       |
| CBDV <sup>†</sup>       | 0.00515 |                | %     | 0.0033 | 10/05/19 | J AOAC 2015 V98-6 |       |
| CBDV-A <sup>†</sup>     | < LOQ   |                | %     | 0.0033 | 10/05/19 | J AOAC 2015 V98-6 |       |
| CBDV-Total <sup>†</sup> | < LOQ   |                | %     | 0.0061 | 10/17/19 | J AOAC 2015 V98-6 |       |
| CBG <sup>†</sup>        | < LOQ   |                | %     | 0.0033 | 10/05/19 | J AOAC 2015 V98-6 |       |
| CBG-A <sup>†</sup>      | < LOQ   |                | %     | 0.0033 | 10/05/19 | J AOAC 2015 V98-6 |       |
| CBG-Total <sup>†</sup>  | < LOQ   |                | %     | 0.0061 | 10/17/19 | J AOAC 2015 V98-6 |       |
| CBL <sup>†</sup>        | < LOQ   |                | %     | 0.0033 | 10/05/19 | J AOAC 2015 V98-6 |       |
| CBN                     | < LOQ   |                | %     | 0.0033 | 10/05/19 | J AOAC 2015 V98-6 |       |
| Δ8-THC <sup>†</sup>     | < LOQ   |                | %     | 0.0033 | 10/05/19 | J AOAC 2015 V98-6 |       |
| Δ9-THC                  | < LOQ   |                | %     | 0.0033 | 10/05/19 | J AOAC 2015 V98-6 |       |
| THC-A                   | < LOQ   |                | %     | 0.0033 | 10/05/19 | J AOAC 2015 V98-6 |       |
| THC-Total               | < LOQ   |                | %     | 0.0061 | 10/17/19 | J AOAC 2015 V98-6 |       |
| THCV <sup>†</sup>       | < LOQ   |                | %     | 0.0033 | 10/05/19 | J AOAC 2015 V98-6 |       |
| THCV-A <sup>†</sup>     | < LOQ   |                | %     | 0.0033 | 10/05/19 | J AOAC 2015 V98-6 |       |
| THCV-Total <sup>†</sup> | < LOQ   |                | %     | 0.0061 | 10/17/19 | J AOAC 2015 V98-6 |       |

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be kept a maximum of 15 days from the report date unless prior arrangements have been made.



**Microbiology**

| Analyte                 | Result   | Limits | Units | LOQ | Batch   | Analyze  | Method                  | Notes |
|-------------------------|----------|--------|-------|-----|---------|----------|-------------------------|-------|
| Aerobic Plate Count     | < LOQ    |        | cfu/g | 10  | 1908957 | 10/06/19 | AOAC 990.12 (Petrifilm) | X     |
| E. coli                 | < LOQ    |        | cfu/g | 10  | 1908955 | 10/06/19 | AOAC 991.14 (Petrifilm) | X     |
| Total Coliforms         | < LOQ    |        | cfu/g | 10  | 1908955 | 10/06/19 | AOAC 991.14 (Petrifilm) | X     |
| Mold (RAPID Petrifilm)  | < LOQ    |        | cfu/g | 10  | 1908956 | 10/06/19 | AOAC 2014.05 (RAPID)    | X     |
| Yeast (RAPID Petrifilm) | < LOQ    |        | cfu/g | 10  | 1908956 | 10/06/19 | AOAC 2014.05 (RAPID)    | X     |
| Salmonella spp.         | Negative |        | /1g   |     | 1908958 | 10/05/19 | AOAC 2016.01            | X     |

| Solvents           |        |        |      |        |       | Method EPA5021A         |        |        |      |        |       | Units µg/g |  | Batch 1908973 |  | Analyze 10/09/19 12:42 PM |  |  |  |
|--------------------|--------|--------|------|--------|-------|-------------------------|--------|--------|------|--------|-------|------------|--|---------------|--|---------------------------|--|--|--|
| Analyte            | Result | Limits | LOQ  | Status | Notes | Analyte                 | Result | Limits | LOQ  | Status | Notes |            |  |               |  |                           |  |  |  |
| 1,4-Dioxane        | < LOQ  | 380    | 100  | pass   |       | 2-Butanol               | < LOQ  | 5000   | 200  | pass   |       |            |  |               |  |                           |  |  |  |
| 2-Ethoxyethanol    | < LOQ  | 160    | 30.0 | pass   |       | 2-Methylbutane          | < LOQ  |        | 200  |        |       |            |  |               |  |                           |  |  |  |
| 2-Methylpentane    | < LOQ  |        | 30.0 |        |       | 2-Propanol (IPA)        | < LOQ  | 5000   | 200  | pass   |       |            |  |               |  |                           |  |  |  |
| 2,2-Dimethylbutane | < LOQ  |        | 30.0 |        |       | 2,2-Dimethylpropane     | < LOQ  |        | 200  |        |       |            |  |               |  |                           |  |  |  |
| 2,3-Dimethylbutane | < LOQ  |        | 30.0 |        |       | 3-Methylpentane         | < LOQ  |        | 30.0 |        |       |            |  |               |  |                           |  |  |  |
| Acetone            | < LOQ  | 5000   | 200  | pass   |       | Acetonitrile            | < LOQ  | 410    | 100  | pass   |       |            |  |               |  |                           |  |  |  |
| Benzene            | < LOQ  | 2.00   | 1.00 | pass   |       | Butanes (sum)           | < LOQ  | 5000   | 400  | pass   |       |            |  |               |  |                           |  |  |  |
| Cyclohexane        | < LOQ  | 3880   | 200  | pass   |       | Ethyl acetate           | < LOQ  | 5000   | 200  | pass   |       |            |  |               |  |                           |  |  |  |
| Ethyl benzene      | < LOQ  |        | 200  |        |       | Ethyl ether             | < LOQ  | 5000   | 200  | pass   |       |            |  |               |  |                           |  |  |  |
| Ethylene glycol    | < LOQ  | 620    | 200  | pass   |       | Ethylene oxide          | < LOQ  | 50.0   | 30.0 | pass   |       |            |  |               |  |                           |  |  |  |
| Hexanes (sum)      | < LOQ  | 290    | 150  | pass   |       | Isopropyl acetate       | < LOQ  | 5000   | 200  | pass   |       |            |  |               |  |                           |  |  |  |
| Isopropylbenzene   | < LOQ  | 70.0   | 30.0 | pass   |       | m,p-Xylene              | < LOQ  |        | 200  |        |       |            |  |               |  |                           |  |  |  |
| Methanol           | < LOQ  | 3000   | 200  | pass   |       | Methylene chloride      | < LOQ  | 600    | 200  | pass   |       |            |  |               |  |                           |  |  |  |
| Methylpropane      | < LOQ  |        | 200  |        |       | n-Butane                | < LOQ  |        | 200  |        |       |            |  |               |  |                           |  |  |  |
| n-Heptane          | < LOQ  | 5000   | 200  | pass   |       | n-Hexane                | < LOQ  |        | 30.0 |        |       |            |  |               |  |                           |  |  |  |
| n-Pentane          | < LOQ  |        | 200  |        |       | o-Xylene                | < LOQ  |        | 200  |        |       |            |  |               |  |                           |  |  |  |
| Pentanes (sum)     | < LOQ  | 5000   | 600  | pass   |       | Propane                 | < LOQ  | 5000   | 200  | pass   |       |            |  |               |  |                           |  |  |  |
| Tetrahydrofuran    | < LOQ  | 720    | 100  | pass   |       | Toluene                 | < LOQ  | 890    | 100  | pass   |       |            |  |               |  |                           |  |  |  |
| Total Xylenes      | < LOQ  |        | 400  |        |       | Total Xylenes and Ethyl | < LOQ  | 2170   | 600  | pass   |       |            |  |               |  |                           |  |  |  |



| Pesticides   |        |        |       |        |       |                     |        |        |       |        |       |
|--|--------|--------|-------|--------|-------|---------------------|--------|--------|-------|--------|-------|
| Method AOAC 2007.01 & EN 15662 (mod) Units mg/kg Batch 1909042 Analyze 10/08/19 09:48 AM |        |        |       |        |       |                     |        |        |       |        |       |
| Analyte  | Result | Limits | LOQ   | Status | Notes | Analyte             | Result | Limits | LOQ   | Status | Notes |
| Abamectin  | < LOQ  | 0.50   | 0.250 | pass   |       | Acephate            | < LOQ  | 0.40   | 0.250 | pass   |       |
| Acequinocyl  | < LOQ  | 2.0    | 1.00  | pass   |       | Acetamiprid         | < LOQ  | 0.20   | 0.100 | pass   |       |
| Aldicarb   | < LOQ  | 0.40   | 0.200 | pass   |       | Azoxystrobin        | < LOQ  | 0.20   | 0.100 | pass   |       |
| Bifenazate   | < LOQ  | 0.20   | 0.100 | pass   |       | Bifenthrin          | < LOQ  | 0.20   | 0.100 | pass   |       |
| Boscalid   | < LOQ  | 0.40   | 0.100 | pass   |       | Carbaryl            | < LOQ  | 0.20   | 0.100 | pass   |       |
| Carbofuran   | < LOQ  | 0.20   | 0.100 | pass   |       | Chlorantraniliprole | < LOQ  | 0.20   | 0.100 | pass   |       |
| Chlorfenapyr   | < LOQ  | 1.0    | 0.500 | pass   |       | Chlorpyrifos        | < LOQ  | 0.20   | 0.100 | pass   |       |
| Clofentezine   | < LOQ  | 0.20   | 0.100 | pass   |       | Cyfluthrin (incl.   | < LOQ  | 1.0    | 0.500 | pass   |       |
| Cypermethrin   | < LOQ  | 1.0    | 0.500 | pass   |       | Daminozide          | < LOQ  | 1.0    | 0.500 | pass   |       |
| Diazinon   | < LOQ  | 0.20   | 0.100 | pass   |       | Dichlorvos          | < LOQ  | 1.0    | 0.500 | pass   |       |
| Dimethoate   | < LOQ  | 0.20   | 0.100 | pass   |       | Ethoprophos         | < LOQ  | 0.20   | 0.100 | pass   |       |
| Etofenprox   | < LOQ  | 0.40   | 0.200 | pass   |       | Etoxazole           | < LOQ  | 0.20   | 0.100 | pass   |       |
| Fenoxycarb   | < LOQ  | 0.20   | 0.100 | pass   |       | Fenpyroximate       | < LOQ  | 0.40   | 0.200 | pass   |       |
| Fipronil   | < LOQ  | 0.40   | 0.200 | pass   |       | Fonicamid           | < LOQ  | 1.0    | 0.400 | pass   |       |
| Fludioxonil  | < LOQ  | 0.40   | 0.200 | pass   |       | Hexythiazox         | < LOQ  | 1.0    | 0.400 | pass   |       |
| Imazalil   | < LOQ  | 0.20   | 0.100 | pass   |       | Imidacloprid        | < LOQ  | 0.40   | 0.200 | pass   |       |
| Kresoxim-methyl  | < LOQ  | 0.40   | 0.200 | pass   |       | Malathion           | < LOQ  | 0.20   | 0.100 | pass   |       |
| Metalaxyl  | < LOQ  | 0.20   | 0.100 | pass   |       | Methiocarb          | < LOQ  | 0.20   | 0.100 | pass   |       |
| Methomyl   | < LOQ  | 0.40   | 0.200 | pass   |       | MGK-264             | < LOQ  | 0.20   | 0.100 | pass   |       |
| Myclobutanil   | < LOQ  | 0.20   | 0.100 | pass   |       | Naled               | < LOQ  | 0.50   | 0.250 | pass   |       |
| Oxamyl   | < LOQ  | 1.0    | 0.500 | pass   |       | Paclobutrazole      | < LOQ  | 0.40   | 0.200 | pass   |       |
| Parathion-Methyl   | < LOQ  | 0.20   | 0.200 | pass   |       | Permethrin          | < LOQ  | 0.20   | 0.100 | pass   |       |
| Phosmet  | < LOQ  | 0.20   | 0.100 | pass   |       | Piperonyl butoxide  | < LOQ  | 2.0    | 1.00  | pass   |       |
| Prallethrin  | < LOQ  | 0.20   | 0.100 | pass   |       | Propiconazole       | < LOQ  | 0.40   | 0.200 | pass   |       |
| Propoxur   | < LOQ  | 0.20   | 0.100 | pass   |       | Pyrethrin I (total) | < LOQ  | 1.0    | 0.500 | pass   |       |
| Pyridaben  | < LOQ  | 0.20   | 0.100 | pass   |       | Spinosad            | < LOQ  | 0.20   | 0.100 | pass   |       |
| Spiromesifen   | < LOQ  | 0.20   | 0.100 | pass   |       | Spirotetramat       | < LOQ  | 0.20   | 0.100 | pass   |       |
| Spiroxamine  | < LOQ  | 0.40   | 0.200 | pass   |       | Tebuconazole        | < LOQ  | 0.40   | 0.200 | pass   |       |
| Thiacloprid  | < LOQ  | 0.20   | 0.100 | pass   |       | Thiamethoxam        | < LOQ  | 0.20   | 0.100 | pass   |       |
| Trifloxystrobin  | < LOQ  | 0.20   | 0.100 | pass   |       |                     |        |        |       |        |       |

| Metals  |        |        |       |        |         |          |                     |       |  |  |
|---------|--------|--------|-------|--------|---------|----------|---------------------|-------|--|--|
| Analyte | Result | Limits | Units | LOQ    | Batch   | Analyze  | Method              | Notes |  |  |
| Arsenic | < LOQ  |        | mg/kg | 0.0471 | 1909134 | 10/09/19 | AOAC 2013.06 (mod.) | X     |  |  |
| Cadmium | < LOQ  |        | mg/kg | 0.0471 | 1909134 | 10/09/19 | AOAC 2013.06 (mod.) | X     |  |  |
| Lead    | < LOQ  |        | mg/kg | 0.0471 | 1909134 | 10/09/19 | AOAC 2013.06 (mod.) | X     |  |  |
| Mercury | < LOQ  |        | mg/kg | 0.0236 | 1909134 | 10/09/19 | AOAC 2013.06 (mod.) | X     |  |  |



**Mycotoxins**

| Analyte                     | Result | Limits | Units | LOQ  | Batch   | Analyze  | Method                  | Notes |
|-----------------------------|--------|--------|-------|------|---------|----------|-------------------------|-------|
| Aflatoxin B1 <sup>†</sup>   | < LOQ  |        | µg/kg | 5.00 | 1909380 | 10/16/19 | AOAC 2007.01 & EN 15662 |       |
| Aflatoxin B2 <sup>†</sup>   | < LOQ  |        | µg/kg | 5.00 | 1909380 | 10/16/19 | AOAC 2007.01 & EN 15662 |       |
| Aflatoxin G1 <sup>†</sup>   | < LOQ  |        | µg/kg | 5.00 | 1909380 | 10/16/19 | AOAC 2007.01 & EN 15662 |       |
| Aflatoxin G2 <sup>†</sup>   | < LOQ  |        | µg/kg | 5.00 | 1909380 | 10/16/19 | AOAC 2007.01 & EN 15662 |       |
| Deoxynivalenol <sup>†</sup> | < LOQ  |        | µg/kg | 200  | 1909380 | 10/16/19 | AOAC 2007.01 & EN 15662 |       |
| Fumonisin B1 <sup>†</sup>   | < LOQ  |        | µg/kg | 200  | 1909380 | 10/16/19 | AOAC 2007.01 & EN 15662 |       |
| Fumonisin B2 <sup>†</sup>   | < LOQ  |        | µg/kg | 400  | 1909380 | 10/16/19 | AOAC 2007.01 & EN 15662 |       |
| HT2-Toxin <sup>†</sup>      | < LOQ  |        | µg/kg | 40.0 | 1909380 | 10/16/19 | AOAC 2007.01 & EN 15662 |       |
| Nivalenol <sup>†</sup>      | < LOQ  |        | µg/kg | 400  | 1909380 | 10/16/19 | AOAC 2007.01 & EN 15662 |       |
| Ochratoxin A <sup>†</sup>   | < LOQ  |        | µg/kg | 5.00 | 1909380 | 10/16/19 | AOAC 2007.01 & EN 15662 |       |
| Ochratoxin B <sup>†</sup>   | < LOQ  |        | µg/kg | 2.00 | 1909380 | 10/16/19 | AOAC 2007.01 & EN 15662 |       |
| T2-Toxin <sup>†</sup>       | < LOQ  |        | µg/kg | 20.0 | 1909380 | 10/16/19 | AOAC 2007.01 & EN 15662 |       |
| Zearalenone <sup>†</sup>    | < LOQ  |        | µg/kg | 200  | 1909380 | 10/16/19 | AOAC 2007.01 & EN 15662 |       |

-----  
This sample was selected and submitted by the client. Test results are representative of the individual sample.



**Abbreviations**

**Limits:** Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220

**Limit(s) of Quantitation (LOQ):** The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

† = Analyte not NELAP accredited.

**Units of Measure**

cfu/g = Colony forming units per gram

g = Gram

µg/g = Microgram per gram

µg/kg = Micrograms per kilogram = parts per billion (ppb)

mg/kg = Milligram per kilogram = parts per million (ppm)

mg/1.1g = Milligram per 1.1g

mg/33g = Milligram per 33g

/1g = Per 1 gram

% = Percentage of sample

% wt = µg/g divided by 10,000

**Glossary of Qualifiers**

X: Not ORELAP accredited.

Approved Signatory

Derrick Tanner  
General Manager